

Food Fact Sheet: Calcium

Calcium is important at all ages for strong bones and teeth. This Food Fact Sheet lists the recommended amounts of calcium for different groups of people and the foods and drinks that are rich in calcium. It also gives you some ideas on how you might achieve your recommended intake.

You are more at risk of calcium deficiency if you:

- are on a cow's milk or lactose free diet
- have coeliac disease
- have osteoporosis
- are breastfeeding
- are past the menopause

Meals and snack ideas

- Start the day with cereal (calcium-fortified) with milk or a milk substitute (calcium-fortified).
- Use tinned sardines or pilchards (with the bones) instead of tuna in a sandwich or on toast.
- Have a stir fry including tofu, broccoli spears and chopped nuts for lunch or dinner.
- Add yoghurt/soya yoghurt to fruit as a pudding or use milk or a milk substitute (calcium-fortified) to make custard and milk puddings.
- Try a glass of low-fat milk as a snack or to help rehydrate after exercising.
- Don't forget that low-fat dairy products have as much and often more calcium than the full-fat versions.
- Remember to check non-dairy sources have added or are 'fortified' with calcium.
- Try to avoid sugary drinks and snacks. If you choose a calcium-rich food which contains sugar, it is best to eat this as part of a meal instead of as a snack.

Healthy lifestyle advice for healthy bones

- Be active – weight bearing activities are best e.g. walking, aerobics, cycling, running and tennis. Aim for at least 30 minutes of activity, five times a week.
- Smoking is associated with an increased risk of osteoporosis, low bone density and increased risk of hip fracture. Stopping smoking prevents further excess bone loss.

Vitamin D and calcium

Vitamin D helps the absorption of calcium from foods. Most of our vitamin D is made by the action of sunlight on the skin. Between April and September, going outside for 15 minutes, two or three times a week between 11am and 3pm without sunscreen should be enough to produce sufficient vitamin D.

All adults and children over the age of one should consider taking a daily supplement containing 10µg vitamin D, especially during autumn and winter. A daily supplement is recommended all year round for those who are at risk of low vitamin D including: all pregnant and breastfeeding women, babies and young children, people aged 65 years and over and people with darker skin or who are not exposed to much sun.

Foods rich in vitamin D include oily fish, eggs and fortified breakfast cereals/spreads but you cannot get enough vitamin D from food alone. You may need to take a supplement if you do not get enough (safe) sun exposure or if you are over 65 years old.

Calcium supplements

Calcium supplements are available from chemists/ pharmacies, supermarkets and health food shops.

If you are unable to meet your daily requirements from food, these supplements can be of use but ask your doctor for advice.

Calcium supplements are available free of charge to women and children who are eligible for Healthy Start vouchers. Ask your health visitor about this.

How to check if you're getting enough calcium in your diet:

1. Use the TABLE 1 to check how many 'calcium stars' you need.
2. Then use TABLE 2 to see how much calcium is found in different foods.
3. Then, simply add up how many calcium stars you are getting from your diet to make sure you are having enough.

TABLE 1 – Daily guideline amounts

Check how many calcium stars{1} you need (1 star = 60mg approx)

Group	Age (years)	Calcium (mg) per day	Calcium stars per day
Infants	Under 1	525	9 stars
Children	1-3	350	6 stars
	4-6	450	7 1/2 stars
	7-10	550	9 stars
Adolescents	11-18	800 (girls)	13 stars
		1000 (boys)	17 stars
Adults	19+	700	11 stars
Breastfeeding mums		1250	21 stars
Women past the menopause		1200	20 stars
Coeliac Disease	Adults	at least 1000	17 stars
Osteoporosis	Adults	1000	17 stars
Inflammatory Bowel disease	Adults	1000	17 stars
	Post menopausal women and Men over 55 years	1200	20 stars

{1}When choosing your calcium stars – remember that high sugar intake often leads to tooth decay. It is important to avoid frequent sugary drinks and snacks for your teeth and your overall health. If you want something sugary, it is best to have it at mealtimes.

TABLE 2 – Calcium in different foods

Calcium in dairy products	Quantity	Calcium (mg)	Stars 1 star = 60mg
Milk, all types	200ml	240	****
Cheese	matchbox-size 30	220	****
Cheese triangle	1 triangle - 15g	60	*
Yoghurt	120g	200	***
Fromage frais	1 pot/pouch - 45-100	60	****
Calcium-enriched fromage frais	1 pot/pouch - 50-90g	125	**
Malted milk drink	25g serving in 200ml milk	440-710	***** to *****
Hot chocolate (light) 20g (with water)	25g serving in 200ml water	200	***
Rice pudding	½ large tin (200g)	176	***
Custard	1 serving (120ml)	120	**
Milk chocolate	30g	66	*
Non-dairy sources of calcium Calcium fortified products			
Calcium enriched milk alternatives eg. rice{2} /soya/oat/nut/coconut etc	200 mls	240	****
Soya bean curd/tofu (Only if set with calcium chloride (E509) or calcium sulphate (E516), not nigari)	60g	200	***
Calcium fortified soya yoghurt/dessert/ custard	125g	150	**
Calcium enriched orange juice	150mls	180	***
Calcium fortified infant cereals	1 serving	60-120	* to **
Calcium fortified cereals	30g serving	130-150	**

Calcium fortified instant hot oat cereal	1 tbsp dry cereal (15g)	200	***
Calcium-fortified bread	1 slice (40g)	191	* to ***
Other non-dairy sources of calcium			
Sardines (with bones)	½ tin (60g)	258	****
Pilchards (with bones)	1 serving (60g)	150	**
Tinned salmon (with bones)	½ tin (52g)	47	*
Whitebait	1 small portion (50g)	430	*****
Scampi in breadcrumbs	6 pieces (90g)	190	***
White bread	2 large slices (100g)	100	*
Wholemeal bread	2 large slices (100g)	54	*
Pitta bread/chapatti	1 portion (65g)	60	*
Orange	1 medium (120g)	75	*
Broccoli, boiled	2 spears (85g)	34	*
Spring greens	1 serving (75g)	56	*

{2}Children under four and a half years old should not have rice drinks as a replacement for cow's milk, breast milk or infant formula. N.B. Spinach, dried fruits, beans, seeds and nuts are not good sources of calcium. This is because they contain oxalates and/or phytates which reduce how much calcium your body can absorb from them. You should not rely on them as your main sources of calcium.